# Bảng **thông** số sản phẩm

Thông số kỹ thuật




## Dimmer, Vivace, 400W, 1 gang, IP20, white

KB31RD400_WE

## Main

| | |
|---|---|
| **Range** | Vivace |
| **Device short name** | KB31 |
| **Product or component type** | Dimmer |
| **Device application** | Control |
| **Device presentation** | Complete mechanism |
| **Colour tint** | White |
| **Main colour tint** | White |

## Complementary

| | |
|---|---|
| | White |
| **Power range** | Tungsten filament: 400 W |
| **[Ue] rated operational voltage** | 220...240 V AC |
| **Network frequency** | 50/60 Hz |
| **Number of gangs** | 1 gang |
| **Connections - terminals** | Pillar terminals |
| **Terminal identifier** | Load<br>L |
| **Tightening torque** | 0.4 N.m |
| **Clamping connection capacity** | 1.5 mm² |
| **Contacts material** | Brass and phosphor bronze |
| **Material** | Polycarbonate: grid plate<br>Polycarbonate: surround<br>Nylon: base |
| **Device mounting** | Flush |
| **Mounting support** | Wall mounted |
| **Fixing mode** | By screws |
| **Fixing center** | 60.3 mm |
| **Width** | 86 mm |
| **Height** | 86 mm |
| **Depth** | 35 mm |
| **Projecting depth** | 8 mm |

Miễn trừ trách nhiệm: Tài liệu này không nhằm thay thế và không được sử dụng để xác định tính phù hợp hoặc độ tin cậy của các sản phẩm này cho các ứng dụng người dùng cụ thể

| | |
|---|---|
| **Embedding depth** | 22 mm |

## Environment

| | |
|---|---|
| **IP degree of protection** | IP20 conforming to IEC 60669-2-1 |
| **Ambient air temperature for operation** | -5…40 °C |
| **Ambient air temperature for storage** | 0…60 °C |
| **Relative humidity** | 0…95 % |
| **Operating altitude** | 0...2000 m |
| **Environmental characteristic** | Indoor use |
| **Standards** | IEC 60669-2-1 |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Number of Units in Package 1** | 1 |
| **Package 1 Height** | 4 cm |
| **Package 1 Width** | 9 cm |
| **Package 1 Length** | 9 cm |
| **Package 1 Weight** | 104 g |
| **Unit Type of Package 2** | BB1 |
| **Number of Units in Package 2** | 8 |
| **Package 2 Height** | 15 cm |
| **Package 2 Width** | 19 cm |
| **Package 2 Length** | 8 cm |
| **Package 2 Weight** | 878 g |
| **Unit Type of Package 3** | CAR |
| **Number of Units in Package 3** | 80 |
| **Package 3 Height** | 21 cm |
| **Package 3 Width** | 32.5 cm |
| **Package 3 Length** | 50 cm |
| **Package 3 Weight** | 9604 g |

## Offer Sustainability

| | |
|---|---|
| **Sustainable offer status** | Green Premium product |
| **REACh Regulation** | REACh Declaration |
| **EU RoHS Directive** | Compliant<br>EU RoHS Declaration |
| **Mercury free** | Yes |
| **China RoHS Regulation** | China RoHS declaration<br>Product out of China RoHS scope. Substance declaration for your information |
| **RoHS exemption information** | Yes |
| **Environmental Disclosure** | Product Environmental Profile |
| **Circularity Profile** | End of Life Information |

## Contractual warranty

| | |
|---|---|
| **Warranty** | 18 months |

**Thay** thế được đề xuất