# Bảng **thông** số sản phẩm

Thông số kỹ thuật



## 115/240V Shaver Unit

KBT727V_WE

Ngừng sản xuất vào: 23 tháng một 2021

Ngừng cung cấp dịch vụ vào: 24 tháng một 2021

Bán dịch vụ hạn chế

## Main

| | |
|---|---|
| **Range** | Vivace |
| **Product or component type** | Shaver socket |
| **Device short name** | KBT |
| **Device application** | Power supply |
| **Device presentation** | Complete mechanism |
| **Colour tint** | Wall: white |

## Complementary

| | |
|---|---|
| **Number of gangs** | 2 gangs<br><br>White |
| **Material** | Polycarbonate: grid plate<br>Polycarbonate: surround<br>Polycarbonate: base |
| **Projecting depth** | 8 mm |
| **Device mounting** | Flush |
| **Mounting support** | Wall mounted |
| **Fixing mode** | By screw M3.5 |
| **Fixing center** | 120.6 mm |
| **Embedding depth** | 40 mm |
| **Rated current** | at 115/240 V AC |
| **Input voltage** | 115 V AC |
| **Output voltage** | 240 V AC |
| **Network frequency** | 50 Hz |
| **Contacts material** | Brass and phosphor bronze |
| **Connections - terminals** | Pillar terminal |
| **Terminal identifier** | L<br>N<br>E |
| **Tightening torque** | 0.4 N.m |
| **Clamping connection capacity** | 2.5 mm² |

Miễn trừ trách nhiệm: Tài liệu này không nhằm thay thế và không được sử dụng để xác định tính phù hợp hoặc độ tin cậy của các sản phẩm này cho các ứng dụng người dùng cụ thể

| | |
|---|---|
| **Width** | 146 mm |
| **Height** | 86 mm |
| **Depth** | 47 mm |

## Environment

| | |
|---|---|
| **Standards** | IEC 61558-2-5 |
| **Ambient air temperature for operation** | -5…40 °C |
| **Ambient air temperature for storage** | 0…60 °C |
| **Relative humidity** | 0…95 % |
| **Operating altitude** | 0...2000 m |
| **Environmental characteristic** | Indoor use |
| **IP degree of protection** | IP21 |

## Packing Units

| | |
|---|---|
| **Unit Type of Package 1** | PCE |
| **Number of Units in Package 1** | 1 |
| **Package 1 Height** | 8.6 cm |
| **Package 1 Width** | 4.9 cm |
| **Package 1 Length** | 14.6 cm |
| **Package 1 Weight** | 671.5 g |
| **Unit Type of Package 2** | BB1 |
| **Number of Units in Package 2** | 2 |
| **Package 2 Height** | 15 cm |
| **Package 2 Width** | 19 cm |
| **Package 2 Length** | 2 cm |
| **Package 2 Weight** | 1.413 kg |
| **Unit Type of Package 3** | CAR |
| **Number of Units in Package 3** | 20 |
| **Package 3 Height** | 31.5 cm |
| **Package 3 Width** | 50 cm |
| **Package 3 Length** | 50 cm |
| **Package 3 Weight** | 13680 g |

## Offer Sustainability

| | |
|---|---|
| **Sustainable offer status** | Green Premium product |
| **REACh Regulation** | REACh Declaration |
| **REACh free of SVHC** | Yes |
| **EU RoHS Directive** | Compliant<br>EU RoHS Declaration |
| **Toxic heavy metal free** | Yes |
| **Mercury free** | Yes |
| **China RoHS Regulation** | China RoHS declaration<br>Pro-active China RoHS declaration (out of China RoHS legal scope) |

| | |
|---|---|
| **RoHS exemption information** | Yes |
| **Environmental Disclosure** | Product Environmental Profile |

## Contractual warranty

| | |
|---|---|
| **Warranty** | 18 months |

**Thay** thế được đề xuất